


E|A|S|Y| CLAMP

Tool Holder for **DIE MOULD & 5 AXIS** Application



"Easy Clamp, Easy Technology"


Efficiency made Effortless ..



www.easyclamping.co.in


This Patented Product is Protected under Internatinal Intellectual Property laws.

BT 30




ORDER CODE	TYPE	L	D	GRIPPING RANGE	WEIGHT (KGS)
0001-001-006-90	BT30-STECC 06-90 (Slim)	90	12	3-6	
0002-001-006-120	BT30-STECC 06-120 (Slim)	120	12	3-6	
0003-001-006-90	BT30-STECC 06-90	90	16	3-6	
0004-001-006-120	BT30-STECC 06-120	120	16	3-6	
0005-002-012-90	BT30-STECC 12-90 (Slim)	90	24	3-12	
0006-002-012-120	BT30-STECC 12-120 (Slim)	120	24	3-12	
0007-003-012-90	BT30-STECC 12-90	90	28	3-12	
0008-003-012-120	BT30-STECC 12-120	120	28	3-12	

BT 40



ORDER CODE	TYPE	L	D	GRIPPING RANGE	WEIGHT (KGS)
0009-001-006-90	BT40-STECC 06-90 (Slim)	90	12	3-6	
0010-001-006-120	BT40-STECC 06-120 (Slim)	120	12	3-6	
0011-001-006-150	BT40-STECC 06-150 (Slim)	150	12	3-6	
0012-001-006-180	BT40-STECC 06-180 (Slim)	180	12	3-6	
0013-001-006-90	BT40-STECC 06-90	90	16	3-6	
0014-001-006-120	BT40-STECC 06-120	120	16	3-6	
0015-001-006-150	BT40-STECC 06-150	150	16	3-6	
0016-001-006-180	BT40-STECC 06-180	180	16	3-6	
0017-002-012-90	BT40-STECC 12-90 (Slim)	90	24	3-12	
0018-002-012-120	BT40-STECC 12-120 (Slim)	120	24	3-12	
0019-002-012-150	BT40-STECC 12-150 (Slim)	150	24	3-12	
0020-002-012-180	BT40-STECC 12-180 (Slim)	180	24	3-12	
0021-003-012-90	BT40-STECC 12-90	90	28	3-12	
0022-003-012-120	BT40-STECC 12-120	120	28	3-12	
0023-003-012-150	BT40-STECC 12-150	150	28	3-12	
0024-003-012-180	BT40-STECC12-180	180	28	3-12	


BT 50



ORDER CODE	TYPE	L	D	GRIPPING RANGE	WEIGHT (KGS)
0025-001-006-90	BT50-STECC 06-90 (Slim)	90	12	3-6	
0026-001-006-120	BT50-STECC 06-120 (Slim)	120	12	3-6	
0027-001-006-150	BT50-STECC 06-150 (Slim)	150	12	3-6	
0028-001-006-180	BT50-STECC 06-180 (Slim)	180	12	3-6	
0029-001-006-210	BT50-STECC 06-210 (Slim)	210	12	3-6	
0030-001-006-90	BT50-STECC 06-90	90	16	3-6	
0031-001-006-120	BT50-STECC 06-120	120	16	3-6	
0032-001-006-150	BT50-STECC 06-150	150	16	3-6	
0033-001-006-180	BT50-STECC 06-180	180	16	3-6	
0034-001-006-210	BT50-STECC 06-210	210	16	3-6	
0035-002-012-90	BT50-STECC 12-90 (Slim)	90	24	3-12	
0036-002-012-120	BT50-STECC 12-120 (Slim)	120	24	3-12	
0037-002-012-150	BT50-STECC 12-150 (Slim)	150	24	3-12	
0038-002-012-180	BT50-STECC 12-180 (Slim)	180	24	3-12	
0039-002-012-210	BT50-STECC 12-210 (Slim)	210	24	3-12	
0040-003-012-90	BT50-STECC 12-90	90	28	3-12	
0041-003-012-120	BT50-STECC 12-120	120	28	3-12	
0042-003-012-150	BT50-STECC 12-150	150	28	3-12	
0043-003-012-180	BT50-STECC 12-180	180	28	3-12	
0044-003-012-210	BT50-STECC 12-210	210	28	3-12	

- Through coolant
- Drive key is standard
- Tolerance class of tool shank : h6
- Clamping with Reduction collets, to achieve more flexible clamping range
- Additional sizes and special designs available on request


HSK A100



ORDER CODE	TYPE	L	D	GRIPPING RANGE	WEIGHT (KGS)
0127-001-012-90	HSK100A-STECC 06-90 (Slim)	90	12	3-6	
0128-001-012-120	HSK100A-STECC 06-120 (Slim)	120	12	3-6	
0129-001-012-150	HSK100A-STECC 06-150 (Slim)	150	12	3-6	
0130-001-012-180	HSK100A-STECC 06-180 (Slim)	180	12	3-6	
0131-001-012-90	HSK100A-STECC 06-90	90	16	3-6	
0132-001-012-120	HSK100A-STECC 06-120	120	16	3-6	
0133-001-012-150	HSK100A-STECC 06-150	150	16	3-6	
0134-001-012-180	HSK100A-STECC 06-180	180	16	3-6	
0135-001-012-210	HSK100A-STECC 06-210	210	16	3-6	
0136-002-012-120	HSK100A-STECC 12-90 (Slim)	90	24	3-12	
0137-002-012-150	HSK100A-STECC 12-120 (Slim)	120	24	3-12	
0138-002-012-180	HSK100A-STECC 12-150 (Slim)	150	24	3-12	
0139-002-012-210	HSK100A-STECC 12-180 (Slim)	180	24	3-12	
0140-002-012-210	HSK100A-STECC 12-210 (Slim)	210	24	3-12	
0141-003-012-120	HSK100A-STECC 12-90	90	28	3-12	
0142-003-012-120	HSK100A-STECC 12-120	120	28	3-12	
0143-003-012-150	HSK100A-STECC 12-150	150	28	3-12	
0144-003-012-180	HSK100A-STECC 12-180	180	28	3-12	
0145-003-012-210	HSK100A-STECC 12-210	210	28	3-12	

- Through coolant
- Drive key is standard
- Tolerance class of tool shank : h6
- Clamping with Reduction collets, to achieve more flexible clamping range
- Additional sizes and special designs available on request


HSK A63



ORDER CODE	TYPE	L	D	GRIPPING RANGE	WEIGHT (KGS)
0108-001-012-90	HSK63A-STECC 06-90 (Slim)	90	12	3-6	
0109-001-012-120	HSK63A-STECC 06-120 (Slim)	120	12	3-6	
0110-001-012-150	HSK63A-STECC 06-150 (Slim)	150	12	3-6	
0111-001-012-180	HSK63A-STECC 06-180 (Slim)	180	12	3-6	
0112-001-012-90	HSK63A-STECC 06-90	90	16	3-6	
0113-001-012-120	HSK63A-STECC 06-120	120	16	3-6	
0114-001-012-150	HSK63A-STECC 06-150	150	16	3-6	
0115-001-012-180	HSK63A-STECC 06-180	180	16	3-6	
0116-001-012-210	HSK63A-STECC 06-210	210	16	3-6	
0117-002-012-120	HSK63A-STECC 12-90 (Slim)	90	24	3-12	
0118-002-012-150	HSK63A-STECC 12-120 (Slim)	120	24	3-12	
0119-002-012-180	HSK63A-STECC 12-150 (Slim)	150	24	3-12	
0120-002-012-210	HSK63A-STECC 12-180 (Slim)	180	24	3-12	
0121-002-012-210	HSK63A-STECC 12-210 (Slim)	210	24	3-12	
0122-003-012-120	HSK63A-STECC 12-90	90	28	3-12	
0123-003-012-120	HSK63A-STECC 12-120	120	28	3-12	
0124-003-012-150	HSK63A-STECC 12-150	150	28	3-12	
0125-003-012-180	HSK63A-STECC 12-180	180	28	3-12	
0126-003-012-210	HSK63A-STECC 12-210	210	28	3-12	


- Through coolant
- Drive key is standard
- Tolerance class of tool shank : h6
- Clamping with Reduction collets, to achieve more flexible clamping range
- Additional sizes and special designs available on request

HSK A50



ORDER CODE	TYPE	L	D	GRIPPING RANGE	WEIGHT (KGS)
0089-001-012-90	HSK50A-STECC 06-90 (Slim)	90	12	3-6	
0090-001-012-120	HSK50A-STECC 06-120 (Slim)	120	12	3-6	
0091-001-012-150	HSK50A-STECC 06-150 (Slim)	150	12	3-6	
0092-001-012-180	HSK50A-STECC 06-180 (Slim)	180	12	3-6	
0093-001-012-90	HSK50A-STECC 06-90	90	16	3-6	
0094-001-012-120	HSK50A-STECC 06-120	120	16	3-6	
0095-001-012-150	HSK50A-STECC 06-150	150	16	3-6	
0096-001-012-180	HSK50A-STECC 06-180	180	16	3-6	
0097-001-012-210	HSK50A-STECC 06-210	210	16	3-6	
0098-002-012-120	HSK50A-STECC 12-90 (Slim)	90	24	3-12	
0099-002-012-150	HSK50A-STECC 12-120 (Slim)	120	24	3-12	
0100-002-012-180	HSK50A-STECC 12-150 (Slim)	150	24	3-12	
0101-002-012-210	HSK50A-STECC 12-180 (Slim)	180	24	3-12	
0102-002-012-210	HSK50A-STECC 12-210 (Slim)	210	24	3-12	
0103-003-012-120	HSK50A-STECC 12-90	90	28	3-12	
0104-003-012-120	HSK50A-STECC 12-120	120	28	3-12	
0105-003-012-150	HSK50A-STECC 12-150	150	28	3-12	
0106-003-012-180	HSK50A-STECC 12-180	180	28	3-12	
0107-003-012-210	HSK50A-STECC 12-210	210	28	3-12	


- Through coolant
- Drive key is standard
- Tolerance class of tool shank : h6
- Clamping with Reduction collets, to achieve more flexible clamping range
- Additional sizes and special designs available on request



ORDER CODE	TYPE	D	L	D1	D2
0146-004-012-019	STECC-22-03-19H	3	60	22	19
0147-005-012-019	STECC-22-04-19H	4	60	22	19
0148-006-012-019	STECC-22-05-19H	5	60	22	19
0149-007-012-019	STECC-22-06-19H	6	60	22	19
0150-008-012-019	STECC-22-07-19H	7	60	22	19
0151-009-012-019	STECC-22-08-19H	8	60	22	19
0152-010-012-019	STECC-22-09-19H	9	60	22	19
0153-011-012-019	STECC-22-10-19H	10	60	22	19
0154-012-012-019	STECC-22-11-19H	11	60	22	19
0155-013-012-019	STECC-22-12-19H	12	60	22	19



ORDER CODE	TYPE	D	L	D1	D2
0156-014-012-015	STECC-18-03-155	3	61	18	15
0157-015-012-015	STECC-18-04-155	4	61	18	15
0158-016-012-015	STECC-18-05-155	5	61	18	15
0159-017-012-015	STECC-18-06-155	6	61	18	15
0160-018-012-015	STECC-18-07-155	7	61	18	15
0161-019-012-015	STECC-18-08-155	8	61	18	15
0162-020-012-015	STECC-18-09-155	9	61	18	15
0163-021-012-015	STECC-18-10-155	10	61	18	15
0164-022-012-015	STECC-18-11-155	11	61	18	15
0165-023-012-015	STECC-18-12-155	12	61	18	15



ORDER CODE	TYPE	D	L	D1	D2
0166-024-006-08	STECC-95-03-08	3	36	9.5	8
0167-025-006-08	STECC-95-04-08	4	36	9.5	8
0168-026-006-08	STECC-95-05-08	5	36	9.5	8
0169-027-006-08	STECC-95-06-08	6	36	9.5	8

SHAKUR
GRINDING SERVICE
MANUFACTURER

Register Office:

Office No. 17, Bhosale Arcade, Sr.No.103,
Near Nehru Nagar Signal, Nehru Nagar, Pimpri, Pune-411018.

☎ 9823444923 | 8087584443

📍 shakurgrindingservices@gmail.com